

Please note that the certificates of analysis are also conveniently available online and around the clock at www.worldaccount.basf.com

Aromes Beauté Inc 995 Rrt 222 St-Denis de brompton J0B2P0 Canada Certificate of Analysis according to DIN 55350-18-4.2.2 Lanette® 16 Plastics Jar Contener Purchase Order/Customer Product# 2316 BA	2016-03-18 BASF CORPORATION Certificate No 5528 <table> <tr> <td>Material</td> <td>50207343</td> </tr> <tr> <td>Order</td> <td>0114471944 000224</td> </tr> <tr> <td>Delivery</td> <td>0126596674 000054</td> </tr> <tr> <td>Lot</td> <td>0014229785</td> </tr> <tr> <td>Lot/Qty</td> <td>9.000 STA</td> </tr> <tr> <td>Total</td> <td>9.000 STA</td> </tr> </table>	Material	50207343	Order	0114471944 000224	Delivery	0126596674 000054	Lot	0014229785	Lot/Qty	9.000 STA	Total	9.000 STA
Material	50207343												
Order	0114471944 000224												
Delivery	0126596674 000054												
Lot	0014229785												
Lot/Qty	9.000 STA												
Total	9.000 STA												

Manufacturing Location: US, SC, 29662-0000 MAULDIN, 1520 OLD STAGE ROAD

 Characteristic/Method UOM Result Specification

APPEARANCE, CONFORMS TO STD.		Pass	
ACID VALUE, MG KOH/G	0.0		<=0.1
MYRISTYL ALCOHOL, WT %	1		<=3
CETYL ALCOHOL, WT. %	96		>=95
STEARYL ALCOHOL, WT. %	1		<=5
IODINE VALUE	0.3		<=0.5
HYDROXYL VALUE	232		228-234
ODOR, CONFORMS TO STANDARD		Pass	
SAPONIFICATION VALUE	0.2		<=0.5
SOLIDIFICATION PT., DEGREES C	48		47-50
NEXT INSPECTION DATE		11/06/2017	

Manufacturing Date: 11/07/2015

THIS CERTIFICATE OF ANALYSIS HAS BEEN PRODUCED
 ELECTRONICALLY AND IS VALID WITHOUT A SIGNATURE.

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.

This is a computer-generated document. No signature is required.